



LEGO® Paperweight Instruction Manual

Gabriel Ortiz

English 2575

November 2, 2017

Table of Contents

Introduction	3
List of Materials	3
Safety Concerns	3
Instructions	4 – 9
Foundation	4, 5
Pillars	5
First Level	6, 7
Second Level	7 – 9

Introduction

A majority of existing paperweights are simply bland, uninteresting, and lack a sense of personal achievement. To counter this problem, LEGO® Paperweight is a designed product to be aesthetically interesting, and provide a sense of personal achievement after its creation. This LEGO® paperweight also strives to serve as a form of stress relief, as picking apart and reassembling the LEGO® paperweight has shown tendencies to relieve stress in several individuals.

List of Materials


Official LEGO® Name	Item Description	Quantity
Plate 2x10	2x10	2
Brick 1x8	1x8	3
Brick 2x4	2x4	9
Brick 1x1	1x1	12
Brick 1x1 W. 1 Knob	1x1 with a “knob” on the side	8
Brick 2x3	3x2	4
Brick 2x2	2x2	3
Brick 1x2	2x1	4
Roof Tile 2x2/45°	2x2 Roof tile with a 45	6




**WARNING: CHOKING HAZARD
SMALL PARTS
NOT FOR CHILDREN UNDER 3 YEARS!**

Foundation


1. Place two Plate 2x10 pieces approximately one inch apart from each other.




2. Take two Brick 1x8 pieces and connect them on the ends of the Plate 2x10 pieces. The outline of the structure should now resemble a square. Then place another Brick 1x8 piece on the fourth peg of the Plate 2x10 pieces.



3. On the middle Brick 1x8 piece, place two Brick 2x4 bricks. One side of both bricks should be connected to the Brick 1x8 piece entirely. The remaining sides should not be connected to anything. Both bricks should be position so that the top view of the structure should reveal 3 pegs length on each side of the Brick 2x4 bricks.




4. On the middle of the Brick 1x8 piece that is located on the opposite sides of the structure, place a Brick 2x4 piece on both side.




Pillars

5. There are four pillars in total to be built. Each pillar consists of two Brick 1x1 pieces and one Brick 1x1 W. 1 Knob. [Note: Brick 1x1 W. 1 Knob has a peg on the side.]
6. From bottom to top, the arrangement of the pieces are the following: Brick 1x1 piece, Brick 1x1 piece, and a Brick 1x1 W. 1 Knob. Assemble four of these pillars.




First Level


7. Place one pillar on the outer Brick 1x8 pieces on each corner of the structure. The peg on the connector should face outwards and opposite direction of the pillar on its left/right.
8. Place a Brick 2x4 brick on the Brick 1x8 piece and between both pillars. The hanging side of the Brick 2x4 bricks shall be faced towards the inside of the structure. There should be one peg of space between the pillars and the Brick 2x4 bricks on both sides.



Step 7 to
Step 8



9. Place two Brick 1x1 pieces on the corner of the Brick 2x4 bricks that is between the pillars. The pillars and the Brick 1x1 piece should be aligned. Repeat on the other side.
10. Place a Brick 2x4 brick 1 peg diagonally from the Brick 1x1 piece that was recently placed in the previous step. This brick should be connected to the outer Brick 2x4 brick and both of the Brick 2x4 bricks in the middle of the structure. Repeat this step for the other side.



Step 9 to
Step 10



11. Place a Brick 2x1 on both sides of the Brick 2x4 bricks that are facing left and right.


12. Place two Brick 2x3 on the north and south side of the structure.



Second Level



13. Place a Brick 2x2 directly on both Brick 2x3 that are between the two pillars.

14. Place two Brick 2x4 bricks beside each other on the middle of the structure.




15. Place a Brick 2x4 brick on the middle. This Brick 2x4 brick should take up half of both Brick 2x4 bricks under it.

16. Add four Roof Tile 2x2/45° on the corners of the structure. The slanted part of each piece should face the same direction as the Brick 1x1 W. 1 Knob piece below it.



17. Place a Brick 2x2 on top the center brick.

18. Then add two Brick 2x1 on top of the Brick 2x2.



19. Add two Roof Tile 2x2/45° pieces on top of the central Brick 2x1 pieces.

20. Add four connectors on the outermost corners of the outermost Roof Tile 2x2/45° pieces.
You have finished building the LEGO® Paperweight.

