


Simple moments and products of inertia

Tuesday, November 19, 2019 10:02 AM

Example 1

Calculate the moment and products of inertia about the z axis of a single mass m located on the $y z$ plane




$$I_{xz} = m x_0 z_0 = 0$$

$$I_{yz} = m y_0 z_0$$

$$I_{zz} = m y_0^2$$

Example 2

Same as above but with a second identical mass placed symmetrically below the $x y$ plane.



$$I_{xz} = m x_0 z_0 - m x_0 z_0 = 0$$


$$I_{yz} = m y_0 z_0 - m y_0 z_0 = 0$$

$$I_{zz} = m y_0^2 + m y_0^2 = 2 m y_0^2$$

One needs to consider the contributions of two masses in the summations defining I_{ij}

Example 3

A uniform ring centered on the z axis and parallel to the $x y$ plane.



Since in this case the mass distribution is continuous, the summations in the definitions of the product of inertia should be replaced by integrals

$$I_{xz} = \int x z \, dm = \int_0^{2\pi} \rho_0 \cos \phi \, z \frac{M}{2\pi \rho_0} \rho_0 \, d\phi = 0$$

$$I_{yz} = \int y z \, dm = \int_0^{2\pi} \rho_0 \sin \phi \, z \frac{M}{2\pi \rho_0} \rho_0 \, d\phi = 0$$

$$I_{zz} = \int (x^2 + y^2) \, dm = \int_0^{2\pi} \rho_0^2 \cos^2 \phi \frac{M}{2\pi \rho_0} \rho_0 \, d\phi + \int_0^{2\pi} \rho_0^2 \sin^2 \phi \frac{M}{2\pi \rho_0} \rho_0 \, d\phi$$

$$= 2 \frac{M \rho_0^2}{2\pi} \underbrace{2\pi \frac{1}{2}} = M \rho_0^2$$

$$= \int_0^{2\pi} \sin^2 \phi \, d\phi = \int_0^{2\pi} \cos^2 \phi \, d\phi$$

This last example illustrates a general rule, if an object is symmetric with respect to its axis of rotation, the product of inertia about the axis of rotation are zero.