




10 PARTIAL WALL SECTION (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"

6 PARTIAL WALL SECTION (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"


1 PARTIAL ELEVATION (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"



11 WALL SECTION DETAIL (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"





7 WALL SECTION DETAIL (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"

2 PARTIAL PLAN @ WINDOW (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"



8 WALL SECTION DETAIL (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"

3 PARTIAL PLAN @ BELOW WINDOW (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"



12 WALL SECTION DETAIL (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"

9 WALL SECTION DETAIL (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"

5 PLAN DETAIL (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"

4 PLAN DETAIL (TYPICAL @ BRICK)
SCALE 1/4"=1'-0"

BRICK TIES SPACED 16"
O.C.

4" FACE BRICK

AIR INFILTRATION BARRIER

5/8" EXTERIOR
GLASS-MAT GYPSUM
SHEATHING BOARD.

6" BATT INSULATION WITH
FOIL FACE VAPOR BARRIER

6" METAL STUD

5/8" GYPSUM BOARD

2" AIR SPACE

1" RIGID INSULATION

4" BASE

MORTAR NET

WEEP HOLE 24" O.C.

STAINLESS STEEL
FLASHING SET IN
MASTIC-TYP


CONCRETE COATING
PER SPECS

SEALANT

12

WALL SECTION DETAIL (TYPICAL @ BRICK)

Scale: 1 1/2"=1'-0"



BRICK TIES SPACED 16"
O.C.

4" FACE BRICK

2" AIR SPACE

1" RIGID INSULATION

5/8" EXTERIOR
GLASS-MAT GYPSUM
SHEATHING BOARD.

6" BATT INSULATION WITH
FOIL FACE VAPOR BARRIER
AIR INFILTRATION BARRIER

MORTAR NET

6" METAL STUD

5/8" GYPSUM BOARD

WEEP HOLE 24" O.C.

FILL SOLID WITH GROUT
STAINLESS STEEL CAP
FLASHING

8" MIN.

2ND FL. (TOS)

SEALANT

10

WALL SECTION DETAIL (TYPICAL @ BRICK)

Scale: 1 1/2"=1'-0"