

Modeling a rocket's path by using a differential equation.

In May, 2020 [SpaceX](#) launched a rocket. For a rocket launched vertically, we can study the rocket's velocity as a function of its distance traveled by using Newton's law of universal gravitation and his second law of motion. It can be shown that the differential equation $v \frac{dv}{dx} = -\frac{gR^2}{(x+R)^2}$ is true, where v is the velocity of the rocket, R is the radius of the earth and x is the rocket's distance from the surface of the earth. We are assuming friction is negligible and that the earth is a spherical object. The mean radius R of the earth is 6371 km. according to [NASA](#) and the acceleration due to gravity, $g = 9.875 \text{ m/s}^2$. This project is a modified version that I created as an opening gateways grant fellow in the 2019-2020 cohort.



1. (10 points) Solve the equation $v \frac{dv}{dx} = -\frac{gR^2}{(x+R)^2}$, with the initial condition $v(0) = v_0$.

2. (10 points) Use your solution from problem 1, to show that $v = \sqrt{2gR^2 \left(\frac{1}{R+x} - \frac{1}{R} \right) + v_0^2}$.

3. (10 points) Plot the graph of $v(x)$ versus x , when the initial velocity, $v_0 = 700 \text{ m/s}$ and find the value of x if it exists when $v(x) = 0$. Repeat this for $v_0 = 12500 \text{ m/s}$.

4. (20 points) By trial and error predict the smallest positive initial velocity v_0 such that $v(x)$ will eventually achieve 0 as x increases. Give a practical interpretation of this cut off value of v_0 .
5. (50 points) (a) When the rocket reaches the top of its trajectory $x = L$, find its initial velocity, v_0 ? Hint: Use the formula you derived in problem 2 and consider what the value of the final velocity v at this instant will be.
- (b) Use the expression you obtained in part (a) for the velocity which we will now call v_L and compute the limit, $v_e = \lim_{L \rightarrow +\infty} v_L$.
- (c) Compute the numerical value of v_e .
- (d) Give a physical interpretation of v_e and compare its value with the value of v_0 obtained in problem 4.
- (e) How does your calculated value for v_e , the escape velocity compare with the actual value stated by [NASA](#)?

6. **Further Explorations 1.** Go to [rocket](#) and look over how the listed functions are used in Desmos to create a picture of a rocket. Create your own picture of a rocket that is launched at an angle in an upwards direction and provide a copy of the code and a printout of your results.
7. **Further Explorations 2.** Find the escape velocity of the moon and other planets. Compare the values to Earth's value and briefly explain how this helps with space explorations.