

TABLE OF CONTENTS

Cat 1 Low Back	1	Box Boom L	3
1st Elec - US	2	Cat 1 High Front	3
1st Elec - DS	2	Cat 3 High Front	4
Box Boom R	3	Cat 2 High Front	5

Cat 1 Low Back

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
1	High Side - Team Red	S4-26°	750w	R132 +R27	(53)		40
2	High Side - Team Red	S4-26°	750w	R132 + R27, T: G582	(52)		39
3	High Side - Team Red	S4-26°	750w	R132 + R27	(53)		40
4	High Side - Team Red	S4-26°	750w	R132 + R27, T: G582	(52)		39
5		MAC 250 Wash	250w	NA	(102)		
6		MAC 250 Wash	250w	NA	(101)		
7	High Side - Team Blue	S4-26°	750w	R132 + R80, T: G582	(50)		53
8	High Side - Team Blue	S4-26°	750w	R132 + R80	(51)		52
9	High Side - Team Blue	S4-26°	750w	R132 +R80, T: G582	(50)		53
10	High Side 2 - Team Blue	S4-26°	750w	R132 +R80	(51)		52

1st Elec - US

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
1		MAC 250 Entour	250w	NA	(107)	40	
2	Worklight	Source 4 PARNel	575w	R132	(99)		74
2		MAC 250 Entour	250w	NA	(105)	20	
3		Source Four PAR WFL	575w	R132 + R318	(72)		
5	Automated	MAC 301	350w	NA	(111)	632	
6		Source Four PAR MFL	575w	R132	(72)		
7	Automated	MAC 301	350w	NA	(112)	652	
8		Source Four PAR MFL	575w	R132	(71)		
9	Automated	MAC 301	350w	NA	(113)	672	
10		Source Four PAR MFL	575w	R132	(70)		
12	Automated	MAC 301	350w	NA	(114)	692	
14		Source Four PAR WFL	575w	R132 + R318	(70)		
15	Worklight	Source 4 PARNel	575w	R132	(99)		74
19		Source Four PAR MFL	575w	R132 + R85	(80)		
20		Source Four PAR MFL	575w	R132 + R85	(80)		
21		Source Four PAR MFL	575w	R132 + R85	(81)		
22		Source Four PAR MFL	575w	R132 + R85	(81)		

1st Elec - DS

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
1	SIDE SPCL	MAC 250 Entour	250w	NA	(108)	60	
2	SIDE SPCL	MAC 250 Entour	250w	NA	(106)	80	

Box Boom R

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
2		MAC 700 Profile	250w	NA	(104)		

Box Boom L

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
1		MAC 700 Profile	250w	NA	(103)		

Cat 1 High Front

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
5	Team Red	S4-36°	750w	R132 + R27	(55)		
6	Team Blue	S4-36°	750w	R132 + R80	(54)		

Cat 3 High Front

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
1	Team Red	S4-19°	750w	R132 +R30	(10)		1
2	Team Red	S4-26°	750w	R132	(11)		2
3	Team Red	S4-19°	750w	R132 + R30	(12)		3
4	Team Red	S4-19°	750w	R132 +R30	(13)		4
5	Team Red	S4-26°	750w	R132	(14)		5
6	Team Red	S4-19°	750w	R132 + R30	(15)		6
7	Team Red	S4-19°	750w	R132	(16)		7
8	Team Red	S4-19°	750w	R132 + R30	(17)		8
9	Team Red	S4-19°	750w	R132	(18)		9
10	Team Blue	S4-19°	750w	R132	(19)		10
11	Team Blue	S4-19°	750w	R132 + R64	(20)		11
12	Team Blue	S4-19°	750w	R132	(21)		12
13	Team Blue	S4-19°	750w	R132 + R64	(22)		13
14	Team Blue	S4-26°	750w	R132	(23)		14
15	Team Blue	S4-19°	750w	R132 +R64	(24)		15
16	Team Blue	S4-19°	750w	R132 +R64	(25)		16
17	Team Blue	S4-26°	750w	R132	(26)		17
18	Team Blue	S4-19°	750w	R132 +R64	(27)		18

Cat 2 High Front

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Adr	Dim
1	Team Red	S4-26°	750w	R132 +R30	(30)		21
2	Team Red	S4-26°	750w	R132	(31)		22
3	Team Red	S4-26°	750w	R132 + R30	(32)		24
4	Team Red	S4-26°	750w	R132	(33)		25
5	Team Red	S4-26°	750w	R132 + R30	(34)		26
6	Team Red	S4-26°	750w	R132	(35)		27
7	Team Blue	S4-26°	750w	R132	(36)		28
8	Team Blue	S4-26°	750w	R132 +R64	(37)		29
9	Team Blue	S4-26°	750w	R132	(38)		30
10	Team Blue	S4-26°	750w	R132 + R64	(39)		31
11	Team Blue	S4-26°	750w	R132	(40)		32
12	Team Blue	S4-26°	750w	R132 + R64	(41)		33