

# Show rider

RPY ENTERTAINMENT Presents Author Miler's Death of a Salesman performance  
Rider

## A. STAGE REQUIREMENTS

1. Proscenium opening: 47'9" Wide x 16' High
2. Stage depth: 47'6" from plaster line to rear curtain
3. Wings Stage Right 16' x 50', Stage Left 20' x 50'
4. Temperature: Performance area and dressing rooms should be well heated/cooled to a minimum of 68°F (20°C) and maximum of 90°F (32.2°C) (Ideal temperature range: 70-74°F).
5. Wireless Internet Access: Presenter agrees to provide an area in the facility (ideally dressing rooms, green room and theatre house) with wireless-internet access.
6. Preparing the theatre prior to load-in: RPY does not carry lighting or sound equipment. Presenter agrees to pre-hang RPY light plot and soft-goods prior to load-in. Pre-hang will include hanging or installing all lighting and sound equipment, cabling, patching, and verifying that all equipment is in proper working order.

## B. SOFT-GOODS

Presenter to provide and hang the following soft-goods prior to RPY arrival according to the line-set agreed upon in advance:

1. 6 to 8 matching black legs (3 to 4 on each side of the stage) sufficient to cover height of grid to floor, and width to cover audience sightlines offstage as well as lighting instruments on off-stage booms.
2. 1 full-stage white cyclorama
3. 1 full-stage Black Traveler Curtain (upstage, in front of the Cyc) OR full-stage Black Scrim (upstage, in front of the Cyc).
4. Tape:
  - a. 1 roll of 2" Black Gaffer tape
  - b. 1 roll of 1" Glow tape

- c. RPY will provide all other spike tape

### **C. EXCLUSIVE USE**

All facilities provided for RPY use must be secure and kept for exclusive use of RPY during engagement including set-up, rehearsals and performances.

### **D. WARDROBE**

Dressing Rooms: Presenter agrees to provide 4 dressing rooms. Each dressing room will provide:

1. Excellent lighting
2. 12 chair and 2 full length lighted mirror per performer and 10 mirrors with vanity lightning
3. A monitor/paging system
4. Costume racks
5. Adequate power for multiple hair dryers, curlers, etc.
6. Adequate heating/cooling
7. Immediate access to restrooms with hot/cold running water and showers

Wardrobe Room: Presenter agrees to provide a fully secured room centrally located to the dressing rooms with adequate electrical power and water.

Presenter will provide the wardrobe room with the following:

- a. 2 steam iron and ironing board
- b. 3 wardrobe rack
- c. Washing machine and dryer
- d. Fresh Towels and Wash clothes

Quick Change Areas: Presenter agrees to provide an area in the stage-right and stage-left wing spaces equipped with the following:

- e. Full-length mirror, small table, chair
- f. Red-gelled running lights
- g. Rod for hanging costumes
- h. Fresh Towels and Wash Clothes

## **E. GREEN ROOM**

Presenter provides a green room centrally located to the stage and dressing rooms. It must be large enough to accommodate catering with a table, refrigerator, microwave, sink and seating for 25.

## **F. MERCHANDISE**

Presenter provides 2 six-foot sales tables to be placed in the lobby or an alternative prominent area with a cash box and sales person. This area should be sufficient in size for an artist 'meets and greet' following the performance.

## **G. PARKING**

Presenter agrees to provide 750 secure parking spaces in the parking lot. Reserved parking close to the theatre and easily accessible throughout RPY's engagement including set-up, rehearsals and performances.

Personnel: (provided by RPY)

Presenter provides the following crew. All crew assigned to technical rehearsal must be available for all performances.

1. Senior Stage Technician: Empowered to make logistical decisions concerning the use of the facility, stage and lighting/sound equipment. Must be available for technical rehearsal and performance.
2. Electricians: Hangs, focuses, and troubleshoots lighting system during rehearsals. Pre-sets instruments prior to RPY's rehearsal.
3. 1 Audio/Video Engineer: Sets up and trouble shoots projector and balances sound mix. RPY will provides a laptop for audio and video playback.

## **H. RUNNING CREW**

1. 1 Sound/Video Operator: Operates and troubleshoots all audio and video cues from computer, cordless handheld mic, speakers, amplifiers and all sound equipment.
2. 1 Light Board Operator: Hangs, focuses, operates and troubleshoots lighting system. Must be able to competently operate the dimmer board used.
3. 1 Deck Hand/Fly-Rail Operator: Will communicate with Stage Manager via intercom headset system, assist with prop placement and fly curtain in/out.
4. 2 Wardrobe Person: (For multiple performances only) will assist with quick costume changes during performance. All costumes must be washed in cold water and hung to air dry following every performance. Some costumes must be ironed prior to all performances.
5. 1 Person to run sales table: Handles product sale and money. Records items purchased. Available to assist in setup, during intermission, pre and post-performance. Sales table must be attended at all times.

## **I. Personnel: (provided by RPY)**

RPY agrees to provide the following personnel:

1. 1 Company Director (also a performer)
2. 2 Stage Manager/Technical Director/Lighting Designer
3. 18 performers (with the option to add up to 2 more performers)

## **J. LIGHTING**

### **A. PRESENTER RESPONSIBILITIES**

1. Light Plot shall be hung, circuited, gelled, rough-focused and troubleshoot prior to Company's arrival. Any Intelligent Lighting Systems and/or Atmospheric Effects (such as Hazer, Gobo Rotators, etc.) must be in working order prior to Company's arrival.

2. The presenter should ensure that all necessary precautions related to Fire-Code Regulations & Permits be in place for all rehearsals and performances.
3. The presenter will furnish the following items no less than three months prior to performance date:
4. Rep Plot showing all circuited lighting/hang positions, with a corresponding up-to-date Channel Hookup and/or Instrument Schedule.
5. Centerline Section/Ground Plan of Stage showing layout of stage, backstage area, loading dock, audience seating, production facilities, proscenium height, grid height and any obstructions such as ductwork and I-Beams.
6. Inventory of gels and templates (w/template holders), as well as any FX Accessories; also the type of Lighting Control Board used.
7. Inventory of spare lighting instruments for use as Specials; Inventory of Soft Goods. Inventory of Sound Equipment. Inventory of Video Equipment.
8. Contact information for Presenter and House Personnel (including Production Manager, Technical Director, Master Electrician, Electricians, Sound Engineer, Wardrobe Supervisor, etc...)

#### **K. RPY RESPONSIBILITIES**

RPY's Lighting Designer shall provide Presenter with a Light Plot and all requisite paperwork no later than one month prior to scheduled performance date. Substitutions and modifications due to inventory, size of facility or budget are negotiable; however no changes to the plot shall be made without the expressed written consent from Company's Lighting Designer.

## **L. LIGHT PLOT**

1. Lighting requirements, subject to minor changes pre-approved by the presenter and RPY:
2. Full-Stage, pre-focused Rep Plot (minimum 2-color Front Wash, 2-3 color Top Wash, High Sides and/or Template Wash, 2-3 focusable lights per Boom (for side lighting), and 20 - 35 Specials (agreed upon in advance).
3. Six to Eight 10ft. Booms for Side Lighting, behind each Leg SL and SR.
4. Three-Color Cyc Wash from above (and below if ground row is in stock).
5. Dim running lights adequate to light wings and backstage area, preferably red.
6. Complete black-out conditions onstage and in the house. Presenter agrees to darken, cover or otherwise prevent the emissions of ambient lighting prior to Tech-Rehearsal through performances.
7. All gel color as specified in advance of the performance.

## **M. COMPUTER LIGHTING BOARD**

The presenter provides a computerized lighting console with at least 120 channels

## **N. ACCESS TO RIGGING**

All lighting instruments must be accessible via ladder, electric lift or catwalk provided by presenter.

## **O. TECH TABLE**

Presenter provides a tech table in the center of the house for all rehearsals. The tech table shall be equipped with lighting board monitors, a headset for communication with the board operators and a microphone for communication with the performers.

## **P. Audio:**

### **A. SOUND SYSTEM**

1. Presenter will provide an adequate sound system including mounting hardware and cabling.
2. To ensure proper audio presentation, the sound engineer and necessary operating equipment shall be situated in the audience area or house tech booth.
3. There must be a clear and unobstructed view from the house mix position at all times
4. The Sound System supplied should be of sufficient size and power to fill the auditorium or audience area with clarity and without overload or delay; must also have adequate Equalization capability (simple bass/treble control is not sufficient for this production).
5. The system should be capable of reproducing music and live voice at an audible level to the outermost seats without distortion or noise and with appropriate delay lines.
6. Amplifiers and Speakers: The audience system should be a full-range, three-way (minimum) loudspeaker system capable of producing 100 decibels Sound Pressure Level (SPL) at the outermost point of the audience area with a dynamic range of 20 HZ to 20,000 HZ.
7. The audience system requires a minimum of 2 discrete speaker locations plus one subwoofer with sufficient power to fill the auditorium that can be assigned independently. This would mean a minimum of
  1. 3 amplifiers.
  2. A stereo pair on the stage for cues and monitor purposes.
  3. A house sound stereo pair.
  4. A Subwoofer. The stage area monitor speaker system should consist of a minimum of two (2) two-way (minimum) speaker cabinets with a dedicated amplifier system capable of producing 100 B Decibels SPL over the entire stage area with a dynamic range of 20 HZ to 20,000 HZ.

8. The size and placement of the stage area monitor speaker cabinets must be appropriate for use by a dance company.
9. Monitor mix must be separate from house mix.
  - a. Playback devices: Laptop computer (provided by RPY) will run audio

## **B. MICROPHONES**

Presenter provides the following:

1. One (1) professional hand-held microphone (preferably cordless) e.g. Shure, Sennheiser, etc. If corded mic is used it must facilitate movement around the stage during performances.
2. Fresh batteries for each microphone for every performance.

## **C. HEAD-SET COMMUNICATION**

Presenter provides the following communication system. Entire system must be pre-set prior to RPY's arrival.

A monitoring system should be provided to the dressing rooms and green room that:

1. Provides a clear signal of the stage audio
2. Allows pre-show paging by the stage manager
3. A headset system allowing talk-back communication.

Headsets positioned for the following:

1. Stage Manager
2. Sound Engineer
3. Light Board Operator
5. Deck Hand - back stage (Wireless headset/belt pack)

## **Q. LOCAL GROUND TRANSPORTATION**

The presenter to provide all local ground transportations - airport/hotel/venue/restaurants for six to eight people plus luggage. The presenter may opt to provide van rentals for the period of time the artist remains under contract. RPY will require transportation to and from the venue on a different schedule to the performers.

## **R. ACCOMMODATION**

The Presenter provides mutually approved hotel accommodation for each night of performance plus the day of arrival.

## **S. HOSPITALITY (food)**

The presenter provides the following:

1. All Days: transportation to restaurants/grocery store/market for meals.
2. Load-in/Tech Rehearsal: Fresh fruit tray, vegetable tray, deli meats, cheese and bread tray, Beverages: Orange juice, water, coffee and tea (with cups, cream, etc).
3. Each Performance: One hot meal to include options for 1 vegetarian and 1 gluten free performer.
4. Additional items: Ice in freezer or cooler for use in case of injuries.

## **T. TICKETS**

The presenter provides RPY 10 complimentary tickets to each performance.

## **U. PERFORMANCE INFORMATION:**

1. Act 1: RPY repertory will total approximately 40-50mins
2. Intermission will last approximately 15mins
3. Act 2: RPY repertory will total approximately 40-50mins
4. Late Seating is at the discretion of RPY'S Stage Manager.

5. RPY'S will provide Pre-Show and Intermission Music. Any pre-show announcement by the theatre must be communicated to the RPY'S Stage Manager prior to the engagement.
6. RPY will provide photos and information to be displayed in the theatre lobby.
7. Sound, lights and stage management will all operate from the tech booth in the house or a house mix position at the rear of the orchestra level of the house.
8. Program Information will be provided by RPY.
9. One six-foot sales table will be placed in the lobby or area where it is in the 'flow of traffic' for the most.
10. Exposure. Sales table must be attended at all times

#### **V. TYPICAL WORK SCHEDULE:**

(Times to be confirmed prior to contract signing)

Any TV, radio, Newspaper interviews or other activities will affect the schedule and should be planned for in advance.

Prior to arrival of RPY:

1. Hang or install all lighting, sound equipment, cabling and patching,.
2. Install communication system.
3. Install and secure dance floor.
4. Install all soft goods.
5. Prepare dressing rooms, green room, and wardrobe.
6. Provide equipment for quick-change area.
7. Verify all equipment is in proper working order.

NOTE: Ideally, if venue is available, RPY will focus and program lights and prepare the stage the day prior to the performance.

Day of Performance:

8:00 am – 10:00 am Dress Rehearsal

11:00 am Wet mop stage and arrange sales tables

11:30 am House opens

12:00 pm - 2:00 pm PERFORMANCE.

Signature:

Signature of this Technical Rider implies that the Presenter and his or her agents, including

Theatre managers, technical directors and operating staff agree to all of the above requirements

Unless specifically amended in writing and agreed to by the Company Artistic Director and

Company Production Manager.

AGREED:

---

Presenter Date