

3 EXERCISE

REVIEW SHEET The Microscope


Instructors may assign a portion of the Review Sheet questions using Mastering A&P™

Name Lizbeth Hernandez

Lab Time/Date Due Tuesday

Care and Structure of the Compound Microscope

1. Label all indicated parts of the microscope.



2. Explain the proper technique for transporting the microscope.

In order to do so, you should be held in an upright position with one hand on the arm and the other supporting its base. The ~~rotates~~ instrument can't be swung during the transporting.

3. Each of the following statements is either true or false. If true, write T on the answer blank. If false, correct the statement by writing on the blank the proper word or phrase to replace the one that is underlined.

1. The microscope lens may be cleaned with any soft tissue.
 Special grit-free lens paper T
2. The microscope should be stored with the oil immersion lens in position over the stage.
 Scanning objective lens T
3. When beginning to focus, use the scanning objective lens.
 T
4. When focusing on high power, always use the coarse adjustment knob to focus.
 T
5. A coverslip should always be used with wet mounts.

4. Match the microscope structures in column B with the statements in column A that identify or describe them.

Column A

- I 1. platform on which the slide rests for viewing
- B 2. used to adjust the amount of light passing through the specimen
- E 3. controls the movement of the slide on the stage
- D 4. delivers a concentrated beam of light to the specimen
- C 5. used for precise focusing once initial focusing has been done
- F 6. carries the objective lenses; rotates so that the different objective lenses can be brought into position over the specimen.

Column B

- a. coarse adjustment knob
- b. condenser
- c. fine adjustment knob
- d. iris diaphragm lever
- e. mechanical stage
- f. nosepiece
- g. objective lenses
- h. ocular lens
- i. stage

5. Define the following terms.

total magnification: Any specimen being viewed is equal to the power of the ocular lens multiplied by the power of the objective lens used

resolution: is the ability to discriminate two close objects as separate.

Viewing Objects Through the Microscope



6. Complete, or respond to, the following statements:

- Working distance 1. The distance from the bottom of the objective lens to the surface of the slide is called the _____.
- Right 2. Assume there is an object on the left side of the field that you want to bring to the center (that is, toward the apparent right). In what direction would you move your slide? _____
- Field 3. The area of the slide seen when looking through the microscope is the _____.
- 95x 4. If a microscope has a 10x ocular lens and the total magnification is 950x, the objective lens in use at that time is _____ x.


Instructors may assign a portion of the Review Sheet questions using Mastering A&P™

more observations for the cells

- parfocal 5. Why should the light be dimmed when looking at living (nearly transparent) cells?
- .75 mm 6. If, after focusing in low power, you need to use only the fine adjustment to focus the specimen at the higher powers, the microscope is said to be _____.
- 1.5 mm 7. You are using a 10x ocular and a 15x objective, and the field diameter is 1.5 mm. The approximate field size with a 30x objective is _____ mm.
8. If the diameter of the low-power field is 1.5 mm, an object that occupies approximately a third of that field has an estimated diameter of _____ mm.
7. You have been asked to prepare a slide with the letter F on it (as shown below), draw the F as seen in the low-power field.



8. Estimate the length (longest dimension) of the object in μm :



Total magnification = $100\times$
 Field diameter = 1.6 mm
 Length of object = 160 μm

9. Say you are observing an object in the low-power field. When you switch to high power, it is no longer in your field of view. Why might this occur? when you change to high power the lens narrows the field view and the object will be out of focus, not centered
- What should you do initially to prevent this from happening? Before changing into a higher power lens we should focus on the object.
10. Do the following factors increase or decrease as one moves to higher magnifications with the microscope?
 resolution: increase amount of light needed: increase
 working distance: decrease depth of field: decrease

11. A student has the high-power lens in position and appears to be intently observing the specimen. The instructor, noting a working distance of about 1 cm, knows the student isn't actually seeing the specimen.
 How so? High power lenses are used for a shorter distances than 1cm.

Describe the proper procedure for preparing a wet mount.

Place a drop of saline in the center of a clean slide. After that, we place the object, then hold the coverslip at a 45 degree angle with finger-tips and slowly lower it.

13. Indicate the probable cause of the following situations during use of a microscope.

a. Only half of the field is illuminated: the light path can be blocked and does not illuminate the field completely

b. The visible field does not change as the mechanical stage is moved: when something like this happens it can be a problem with the lens.

14. A blood smear is used to diagnose malaria. In patients with malaria, the protozoa can be found near and inside red blood cells. Explain why a microscope capable of high magnification and high resolution would be needed to diagnose malaria.

Under a microscope with the appropriate lenses can be distinguished the protozoa which can be found on the red blood cells.

15. Histopathology is the use of microscopes to view tissues to diagnose and track the progression of diseases. Why are thin

slices of tissue ideal for this procedure? Thin slices of tissues are ideal since it can allow that on the microscope can be seen the tissue and its components meticulously.

4 EXERCISE

REVIEW SHEET

The Cell: Anatomy and Division


Instructors may assign a portion of the Review Sheet questions using Mastering A&P™

Name Lizbeth Hernandez

Lab Time/Date Due Tuesday

Anatomy of the Composite Cell

1. Label the cell structures using the leader lines provided.



2. Match each cell structure listed on the left with the correct description on the right.

- | | | | |
|-------------------------|---------------------|--|---|
| <u>F</u> | 1. ribosome | <input checked="" type="checkbox"/> a. | main site of ATP synthesis |
| <u>H</u> | 2. smooth ER | <input checked="" type="checkbox"/> b. | encloses the chromatin |
| <u>A</u> | 3. mitochondrion | <input checked="" type="checkbox"/> c. | sac of digestive enzymes |
| <u>B</u> | 4. nucleus | <input checked="" type="checkbox"/> d. | examples include glycogen granules and ingested foreign materials |
| <u>J</u> | 5. Golgi apparatus | <input checked="" type="checkbox"/> e. | forms basal bodies and helps direct mitotic spindle formation |
| <u>C</u> | 6. lysosome | <input checked="" type="checkbox"/> f. | site of protein synthesis |
| THU <u>K</u> | 7. centriole | <input checked="" type="checkbox"/> g. | forms the external boundary of the cell |
| <u>E</u> | 8. cytoskeleton | <input checked="" type="checkbox"/> h. | site of lipid synthesis |
| <u>D</u> | 9. inclusion | <input checked="" type="checkbox"/> i. | packaging site for ribosomes |
| <u>G</u> | 10. plasma membrane | <input checked="" type="checkbox"/> j. | packages proteins for transportation |
| <u>I</u> | 11. nucleolus | <input checked="" type="checkbox"/> k. | internal cellular network of rodlike structures |

Differences and Similarities in Cell Structure

3. Choose the specimen observed in Activity 5 (squamous epithelium, sperm cells, smooth muscle, or human red blood cells) that fits the description below.

- Sperm cell has a flagellum for movement
- Smooth cells have an elongated shape (tapered at each end)
- Squamos epithelium cells are close together
- Human red blood cells are circular
- Squamos cells are thin and flat, with irregular borders
- Human red blood cells are anucleate (without a nucleus)
- Smooth muscle longest cell


Cell Division

4. What is the function of mitotic cell division? Cell division is essential for growth and repair. Mitotic cell division is the period when the cell reproduces itself by dividing.


5. Identify the four phases of mitosis shown in the following photomicrographs, and select the events from the key that correctly identify each phase. On the appropriate answer line, write the letters that correspond to these events.

Key:

- a. The nuclear envelope re-forms.
- b. Chromosomes line up in the center of the cell.
- c. Chromatin coils and condenses, forming chromosomes.
- d. Chromosomes stop moving toward the poles.
- e. The chromosomes are V shaped.
- f. The nuclear envelope breaks down.
- g. Chromosomes attach to the spindle fibers.
- h. The mitotic spindle begins to form.



1. Phase: Metaphase
 Events: b, F



2. Phase: Prophase
 Events: c, h




3. Phase: Anaphase
 Events: E



4. Phase: Telophase
 Events: A, D

6. Draw the phases of mitosis for a cell that contains four chromosomes as its diploid, or $2n$, number.



7. Describe the events that occur during interphase.

During Interphase, the cell carries out its normal metabolic activities and grows.

8. Complete or respond to the following statements:

Division of the 1 is referred to as mitosis. Cytokinesis is division of the 2. The major structural difference between chromatin and chromosomes is that the latter are 3. Chromosomes attach to the spindle fibers by undivided structures called 4. If a cell undergoes mitosis but not cytokinesis, the product is 5. The structure that acts as a scaffolding for chromosomal attachment and movement is called the 6. 7 is the period of cell life when the cell is not involved in division. Three cell populations in the body that do not routinely undergo cell division are 8, 9, and 10.

1. Nucleus
2. Cytoplasm
3. Condensed
4. Centromeres
5. Binucleate cell
6. Spindle
7. Interphase
8. Skeletal muscle
9. Cardiac muscle
10. Neurons

9. **+** Plasma cells are key to the immune response because they secrete antibodies. Given that antibodies are made of protein, which membrane-enclosed cell organelle would you expect the plasma cells to have in abundance? Why? Ribosomes, because they are particularly abundant in cells that synthesize large amounts of protein.

10. **+** Name which organelle you would expect to play the largest role in decomposition of the human body. Why? Lysosomes, since they degrade

11. **+** Some antifungal medications work by blocking DNA synthesis in the fungal cell. Describe where in the cell cycle such a medication would halt the fungal cell and the consequences of this early termination of the cycle. This may occur during interphase, in the S phase which is responsible for the synthesis of DNA.