Name Jaina Lalanne Lab Time/Date 03/06/11

EXERCISE


m 111 FB

(1)

## The Microscope

Care and Structure of the Compound Microscope

1. Label all indicated parts of the microscope.



2. Explain the proper technique for transporting the microscope.

Hold upright with one hand on its arm of the other Supporting its bose of Avoid Swinging of Jarring.

7. If, when using a 10× ocular and a 15× objective, the field size is 1.5 mm, the approximate field

size with a 30× objective is \_

	0.4				
•	8. If the size of the high-power field is 1.2 mm, an object that occupies approximately a third of that field has an estimated diameter of mm.				
7.	You have been asked to prepare a slide with the letter $k$ on it (as shown below). In the circle below, draw the $k$ as seen in the low-power field.				
	k				
8.	Figure out the magnification of fields 1 and 3, and the field size of 2. ( <i>Hint:</i> Use your ruler.) Note that the numbers for the field sizes below are too large to represent the typical compound microscope lens system, but the relationships depicted are accurate.				
	$\frac{2.5}{\text{mm}}$ 0.5 mm				
	1.→○← 2.→○← 3.→○←				
	$50 \times 100 \times 500 \times$				
9.	Say you are observing an object in the low-power field. When you switch to high-power, it is no longer in your field of view.				
	Why might this occur? Field decreases as magnification increases, this				
	Causes the Object to the outside the higher field				
	What should be done initially to prevent this from happening?				
	Center the Object				
10.	10. Do the following factors increase or decrease as one moves to higher magnifications with the microscope?				
	resolution: 1 MC reases amount of light needed: 1 MC reases				
	working distance: decreases depth of field: decreases				
11.	A student has the high-dry lens in position and appears to be intently observing the specimen. The instructor, noting a working				
	distance of about 1 cm, knows the student isn't actually seeing the specimen.  How so? The Working distance for high fewer lens is lamm				
	Howso? We was Find a strong to the first that the strong to the strong t				
12.	Describe the proper procedure for preparing a wet mount.				
	Place the specimen on the Slide of Place a drop of				
	whiter or saline on the Slide. Mix the specimen Using a				
	thothpick. Add a drop of Stain Mix. Slowly d carefully tower the angled Covers up onto the Specimen.  Indicate the probable cause of the following situations arising during use of a microscope.				
13.	Indicate the probable cause of the following situations arising during use of a microscope.				
	a. Only half of the field is illuminated: The lens is not correctly				
	notated into Place				
	b. Field does not change as mechanical stage is moved: The Slide 15 Not Correctly				
	positioned in the Clamp				

# VIEW SHEET

# The Cell: Anatomy and Division

### Anatomy of the Composite Cell

Define the S. II						
organelle: Intricellular Structure that performs a specific						
Corol 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
imetabolics function for the CEII						
cell: The basic Structural of Functional Unit of (Iving)						
Although cells have differences that reflect their specific functions in the body, what functions do they have in common?						
Ability to metabolize, reproduce, grow, respond to a						
3. Identify the following cell parts: Shmulus, and move						
Plasma membrane  1. external boundary of cell; regulates flow of materials into and out of the cell; site of cell signaling						
2. contains digestive enzymes of many varieties; "suicide sac" of the cell						
mitochondra 3. scattered throughout the cell; major site of ATP synthesis,						
MICROVILLÍ  4. slender extensions of the plasma membrane that increase its surface area						
Inclusions 5. stored glycogen granules, crystals, pigments, and so on						
Enolgy apparatus 6. membranous system consisting of flattened sacs and vesicles; packages proteins for export						
Nucleus 7. control center of the cell; necessary for cell division and cell life						
8. two rod-shaped bodies near the nucleus; associated with the formation of the mitotic spindle						
Mucleolus 9. dense, darkly staining nuclear body; packaging site for ribosomes.						
MICOF laments 10. contractile elements of the cytoskeleton						
11. membranous system; involved in intracellular transport of proteins and synthesis of membrane lipids						
12. attached to membrane systems or scattered in the cytoplasm; site of protein synthesis						
Chromatin threads 13. threadlike structures in the nucleus; contain genetic material (DNA)						
PeroXi some 14. site of free radical detoxification						

4. In the following diagram, label all parts provided with a leader line. Nucleus Naclear envelope Nucleolus Smooth Nuclear Cytosol Rough endoplash Ribosomes Centroles Microvilli Microfubile Intermediate \_ Filaments

### Differences and Similarities in Cell Structure

5. For each of the following cell types, list (a) one important structural characteristic observed in the laboratory, and (b) the function that the structure complements or ensures.

squamous epithelium	Sa Cells fit closely together like floor tiles
	Co Often a lining or covering tissue
sperm	(a. Has a tail or flagellum
	Co. allows sperm to propel itself
smooth muscle	(a Cells have an elongated shape
	76. a long axis allows a greater degree of Shorter
red blood cells	(a. Disc-Shaped
	1. large surface area that allows more space
	to courry nemaglobin

mitochondrion

Peroxisome

6. What is the significance of the red blood co	ell being anucleate (without a nucleus)?	The Cell-Will not			
be able to man	efacture new pro	tens, etc, limited			
Did it ever have a nucleus? (Use an appropriate four cells observed microscopically which has the smallest diameter?	oriate reference.) If  (squamous epithelial cells, red blood ce  Which is longest? SYMC	so, when? before its released to the bloodstrains, smooth muscle cells, and sperm),			
which has the smallest diameter? Sperm Which is longest? Smooth Muscle  Cell Division: Mitosis and Cytokinesis  8. Identify the three phases of mitosis in the following photomicrographs.					
a. Metaphase b	. Anaphase	c. Prophase			
a. Netaphase  b. Anaphase  c. Prophase  9. What is the importance of mitotic cell division? Allows growth of vepair  of damage cells  10. Draw the phases of mitosis for a cell that contains four chromosomes as its diploid or 2n number.					
G (PP)					

Review Sheet 4				
1. Complete or respond to the following statements:  Division of the _1_ is referred to as mitosis. Cytokinesis is division of the _2 The major structural difference between chromatin and chromosomes is that the latter are _3 Chromosomes attach to the spindle fibers by undivided structures called _4 If a cell undergoes mitosis but not cytokinesis, the product is _5 The structure that acts as a scaffolding for chromosomal attachment and movement is called the _67_ is the period of cell life when the cell is not involved in division. Two cell populations in the body that do not routinely undergo cell division are _8_ and _9	1. <u>Nucleus</u> 2. <u>Cytoplasm</u> 3. <u>Coiled/condensed</u> 4. <u>Centronveres</u> 5. a binucleate Cell 6. <u>Spindle</u> 7. <u>Interphase</u> 8. <u>Neurons</u>			
12. Using the key, categorize each of the events described below according to the	9. Steletald Cardiac www.school to the phase in which it occurs.			
Key: a. anaphase b. interphase c. metaphase d.	. prophase e. telophase			
de Prophase 1. Chromatin coils and condenses, form	ning chromosomes.			
a, Anaphase 2. The chromosomes are V shaped.				
e telephase 3. The nuclear envelope re-forms.				
e telophase 4. Chromosomes stop moving toward the poles.				
Cometaphase 5. Chromosomes line up in the center of the cell.				
da Prophase 6. The nuclear envelope fragments.				
d, Prophase 7. The mitotic spindle forms.				
b. Interphase 8. DNA synthesis occurs.				
b. Interphase 9. Centrioles replicate.				

C. Prophase 10. Chromosomes first appear to be duplex structures.

C. telephase 12. Cleavage furrow forms.

d. Prophasse 11. Chromosomal centromeres are attached to the kinetochore fibers.

and C. Prophasse 13. The nuclear envelope(s) is absent.

Short, compact bodies are mechanically much

13. What is the physical advantage of the chromatin coiling and condensing to form short chromosomes at the onset of mitosis?

to manipulate during initiosis than are long Chromatin
Threads.